BRUHAT BANGALORE MAHANAGARA PALIKE

Project Division Yelahanka ZONE

Name of Work: Providing Children Play Equipments and Senior Citizen Gym Equipments and Landscape Development Works in Ward no. 07, Byadrayanapura of Yelahanka Zone

Measurement Sheet

1st & Part Bill

Name of Agency: Sri A.Sathish Gowda

Item No: 22

Item Description: Supply and fixing of Self Weighted Rower. Metal: All tubular steel of 2.Smm thit.kness are galvaniied and zinc dipped. Joints are Robotic welded. All welded joiflts arc •scalloped as necessary and welded to an approved MIG process. All welds arc dressed off removing all sharp edges and burrs. Zinc Primer Paint is applied at all the welding points prior to finishing. All metal parts are powder coated using AKZO Nobel-Great Wall powder to the thickness of 80-120 microns. All metal parts are tested in our sa lt S'PI,ray machine.that uses a 5% NaCl solution in accordance to IS07227 to speed up3 c_6rrosion for 3000 hrs. Colour RAL 5019 Blue and RAL 1014 Beige Rubber: High quality grip rubber is used for the handles. Bearings: Maintenance-free ball bearings. Scope of delivery: 1completely pre-assembled equipment modules. Maintain according to EN 16630 and the maintenance guide. Safety:All products must be tested and certified to meet EN16630 safety standards only by a reputed notified international certifying agency such as IPEMA, TUV, CPSC, or SGS. The GS Mork• EN16630 Certificates must be in the name of tendering party and not any 3rd p;:11 ty All products must carry a GS mark on it.. Size_L x W x H}: 1390 x 805 x 1100 mm. Weight: 42.4 Kg Safety Area: 3790 x 3205 mm Capacity_1 Person.

SLNO	CHAINAGE / Land Mark	NO	L (m)	B1 (m)	B2 (m)	Avg B (m)	Avg D (m)	QTY	REMARKS
	Measurement recorded on:		30/07/2018						
	Veerabhadrappa Gowda Park								
			1					1.00	
							Total Quantity	**1.00**	**Unit**
							Quantity carried to bill	**1.00**	**Unit**

Checked.

A Sathish Gowda
Contractor Representative

Consultant Representative

Asst Engineer
Ward No:07
Project Division Yelahanka Zone

Asst.Executive Engineer 30/7/2018
Project Division Yelahanka Zone

BRUHAT BANGALORE MAHANAGARA PALIKE

Project Division Yelahanka ZONE

Name of Work: Providing Children Play Equipments and Senior Citizen Gym Equipments and Landscape Development to Parks in Ward no. 07, Byadrayanapura of Yelahanka Zone

Measurement Sheet

1st & Part Bill

Name of Agency: Sri A.Sathish Gowda

Item No: 23

Item Name: Supply and fixing of Elliptical Cross Trainer. Metal: All t\jbular steel of 2.Smm thickness are galvanized and zinc dipped. Joints are RClbotic welded. All weldecl 1oints a re scalloped as necessary and welded to an approve(j MIG process. All welds .i re dressed off removing all sharp edges and burrs. Zinc Primer Paint is applied at .ill the welding points prior to finishing. Alt metal parts are PCl\vder coated using AKZO Nobel Great Wall powder to the thickness of 80-120 microns. All metal parts are testecJ in our salt spray machine that uses a 5% NaCl solution iri ilccordance to IS07227 to speed up corrosion for 3000 hrs. Rubber: High quality €rip rubber is used for the handles. Bearings: Maintenance-free ball bearings. Scope of delivery: 1completely.pre-assembled equipment modules. Maintenance: Maintain according to EN 1G630 and the maintenance guide. Safety: All products must be tested and certified to meet EN16630 safety standards w ith GS test mark.The EN 16630 certificates must be issued by a reputed notified international certifying agl!ncy uch as IPEMA,TUV ,CPSC, or SGS only .The GS Mark-EN16630 Certificates must be in the name of tendering party and not any 3rd party. The certificates must be attached with .l he tender document. Alt products must clearly display tt) GS mark as has been i ued in the EN16630 safety certificates. Size_L x W x H):126/ 582 x 1764 mm. Weight : 43.5 Kg Safety A rea: 4322 x 3632 mm Capacity 1Person.

DEMO	CHAINAGE / Land Mark	NO	L (m)	B1 (m)	B2 (m)	Avg B (m)	Avg D (m)	QTY	REMARKS
Measurement recorded on:			30/07/2018						
Gurunathalli Park									
		1						1.00	
							Total Quantity	1.00	Unit
							Quantity carried to bill	1.00	Unit

Contractor Representative

Consultant Representative

Asst Engineer
Ward No 07

Asst.Executive Engineer 30/7/2018

Project Division Yelahanka Zone

Project Division Yelahanka Zone

BRUHAT BANGALORE MAHANAGARA PALIKE

Project Division Yelahanka ZONE

Name of Work: Providing Children Play Equipments and Senior Citizen Gym Equipments and Landscape Development to Parks in Ward no. 07, Byadrayanapura of Yelahanka Zone

Measurement Sheet

1st & Part Bill

Name of Agency: Sri A.Sathish Gowda

Item No: 25

Item Name: Supply and Fixing of Bicycle. Metal: All tubular steel of 25mm thickness are galvani zed and zinc dipped. Joints are Robotic welded. All welded joint s are S('.llloped as necessary and w eldea to an approved MIG process. All welds are dressed off removing all sharp edges and burrs. Zinc Primer Paint is applied at all the weltling points prior to finishing.All metal parts are powder coated using AKZO Nobel GreatWall powder to the thickness of 80- 120 microns. All metal parts are tested in our salt v pray machine that uses a 5% NaCl solution in accordance to IS07227 to speed up -orrosion for 3000 hrs. Rubber: High quality grip rubber is used for the handles. each 1 125000 125000 131188 131188 134500 134500 Bearings: Maintenance-free ball bearings . Scope of delivery: 1completely pre assembled equipment modules. Maintenance: Maintain according to EN 16630 and the maintenance guide. Safety: All products must be tested and certified to mee t EN16630 safety standards only by a reputed notified international certifying acency such as IPEMA,TUV,CPSC, or SGS. The GS Mark- EN16630 Certificates must be in the name of tendering party and not any 3rd party. Size_L x W x H): 1000 x 498 x 120 mm. Weight : 51.5 Kg Safety Area: 3400 x 3498 mm Capacity_ 1 Persons.

SLNO	CHAINAGE / Land Mark	NO	L (m)	B1 (m)	B2 (m)	Avg B (m)	Avg D (m)	QTY	REMARKS
Measurement recorded on:			30/07/2018						
Kurubarahalli Park									
		1						1.00	
							Total Quantity	**1.00**	**Unit**
							Quantity carried to bill	**1.00**	**Unit**

Contractor Representative

Consultant Representative

Asst Engineer
Ward No-07

Project Division Yelahanka Zone

Asst.Executive Engineer 30/7/2018

Project Division Yelahanka Zone

BRUHAT BANGALORE MAHANAGARA PALIKE

Project Division Yelahanka ZONE

Name of Work: Providing Children Play Equipments and Senior Citizen Gym Equipments and Landscape Development to Parks in Ward no. 07, Byadrayanapura of Yelahanka Zone

Measurement Sheet

1st & Part Bill

Name of Agency: Sri A.Sathish Gowda

Item No: 26

Item Description: Supply and Fixing of Arm & Pedal Bike. Metal: All tubular steel of 2.Smm thickness a re galvanized and zinc dipped.Joints are Robotic welded.All welded joints are sca lloped as necessary and welded to an approved MIG process. All welds are dressed off removing all sharp edges and burrs. Zinc Primer Paint is applied at all the welding points prior to finishing. All metal parts are powder coated using AKZO Nobel-Great Wall powder to the thickness of 80-120 microns. All metal parts are tested in our salt spray machine that uses a 5% NaCl solution in accordance to IS07227 to speed up corrosion for 3000 hrs. Rubber: High quality grip rubber is used for the handles.Bearings : Maintenance-free ball bearings.Scope of delivery: 1completely pre-assembled equipment modules. Maintenance: Maintain according to EN 16630 and the maintenance guide.Safety : All products must be tested anEI certified to meet EN16630 safety standards only by a reputed notified international certifying agencv such as IPEMA,TUV, CPSC, or SGS. The GS Mark- EN16630 Certificates must be in t he name of tendering party and not any 3rd party.Size_L x W x H}: 830 x 500 x 1450 mm. Weight: 32 Kg Safety Area: 3830 x 2900 mm Capacity_ 1Persons.

SLNO	CHAINAGE / Land Mark	NO	L (m)	B1 (m)	B2 (m)	Avg B (m)	Avg D (m)	QTY	REMARKS
Measurement recorded on:			30/07/2018						
Kurubarahalli Park									
			1					1.00	
							Total Quantity	**1.00**	**Unit**
							Quantity carried to bill	**1.00**	**Unit**

A Sathish Gowda
Contractor Representative

Core Technologies Private Limited
MECADEZ
Consultant Representative

Asst Engineer
Project Division Yelahanka Zone

Asst.Executive Engineer 30/7/2018
Project Division Yelahanka Zone

BRUHAT BANGALORE MAHANAGARA PALIKE

Project Division Yelahanka ZONE

Work: Providing Children Play Equipments and Senior Citizen Gym Equipments and Landscape Development to Parks in Ward no. 07, Byadrayanapura of Yelahanka Zone

Measurement Sheet

1st & Part Bill

Name of Agency: Sri A.Sathish Gowda

27

Supply and Fixing of Tai Chi Spinners . Metal: All tubular steel of 2.Smm thicknp<.s are galvanized and zinc dipped. Joints are Robotic welded. All welded joints are sc;illoped as necessa ry and welded to an approved MIG process. All welds are dressed off removing all sharp edges and burrs. Zinc Primer Paint is applied at all the w eldin points prior to finishing. All metal parts are powder coated using AKZO Nobel G reat Wall powder to the thickness of 80- 120 microns. All metal parts are tested in our salt spray machine that uses a 5% NaCl solution in accordance to JS07227 to speeu up corrosion for 3000 hrs. Colour RAL 5019 Blue and RAL 1014 Beige Rubber: High quality grip rubber is used for the handles. Bearings: Maintenance -free ball bearings. Scope of delivery: 1completely pre-assembled equipment modules. Maintena nce:Maintain according to EN 16630 and the maintenance guide. Safety: All products must be tested and certified to meet EN16630 safety standards with GS test mark. The EN 16630 certificates must be issued by a reputed notified international certifying agency such as IPEMA, TUY, CPSC, or SGS only. The GS Mark-EN16630 Certificates must be in the name of tendering party and not any 3rd party. Thecertificates must be attached with the tender document . All products must clearly -display the GS mark as has been issued in the EN15630 safety certificates. Size_ L x W x H): 1120 x 1150 x 1620 mm. Weight: 39 Kg Safety Area: 3520 x 3550 mm Capacity_3 Persons.

CHAINAGE / Land Mark		NO	L (m)	B1 (m)	B2 (m)	Avg B (m)	Avg D (m)	QTY	REMARKS
Measurement recorded on:			30/07/2018						
Amruthalli Park									
		1						1.00	
							Total Quantity	**1.00**	**Unit**
							Quantity carried to bill	**1.00**	**Unit**

Mecadez Core Technologies Private Limited

A Sathish Gowda

Contractor Representative

Consultant Representative

Asst Engineer

Ward No. 07

Project Division Yelahanka Zone

30/7/2018

Asst.Executive Engineer

Project Division Yelahanka Zone

BRUHAT BANGALORE MAHANAGARA PALIKE

Project Division Yelahanka ZONE

Name of Work: Providing Children Play Equipments and Senior Citizen Gym Equipments and Landscape Development to Parks in Ward no. 07, Byadrayanapura of Yelahanka Zone

Measurement Sheet

1st & Part Bill

Name of Agency: Sri A.Sathish Gowda

Item No: 28

Item Name: Supply and fixing of Twist Stepper. Metal: All tubular steel of 2.Smrn thickness are galvanized and zinc dipped. Joints are Robotic welded. All welded joints are sca lloped as necessary and welded to an approved MIG process. All welds are dressed off removing all sharp edges and burrs. Zinc Primer Paint is applied at all the welding points prior to finishing. All metal parts are powder coated using AKZO Nobel-GreatWall powder to the thickness of 80-120 microns. All metal parts are tested in our salt spray machine that uses a 5% NaCl solution in accordance to IS07227 to speed up corrosion for 3000 hrs. Rubber: High quality grip rubber is used for the handles. Bearings: Maintenance-free ball bearings.Scope of delivery: 1completely pre-assembled equipment modules. Maintenance: Maintain according to EN 16630 and the maintenance guide. Safety: All products must be tested and certified to meet EN16630 safety standards with GS test mark.The EN 16630 certificates must be issued by a reputed notified international certifying agency such as IPEMA, TUV ,CPSC, or SGS only. The GS Mark- EN16630 Certificates must be in the name of tendering party and not any 3rd party. All products must clearly display the GS mark as has been issued in the EN16630 safety certificates . Size_ L x W x H): 1395 x 650 x1750 mm. Weight: 53.8 Kg Safety Area.: 3795 x 3050 mm Capacity_2 Persons.

SLNO	CHAINAGE / Land Mark		NO	L (m)	B1 (m)	B2 (m)	Avg B (m)	Avg D (m)	QTY	REMARKS
Measurement recorded on:				30/07/2018						
Byrathalli Park										
			1						1.00	
								Total Quantity	**1.00**	**Unit**
								Quantity carried to bill	**1.00**	**Unit**

Contractor Representative

Consultant Representative

Asst Engineer

Ward No-07

Project Division Yelahanka Zone

Asst.Executive Engineer 20/7/2018

Project Division Yelahanka Zone

BRUHAT BANGALORE MAHANAGARA PALIKE

Project Division Yelahanka ZONE

Work: Providing Children Play Equipments and Senior Citizen Gym Equipments and Landscape ment to Parks in Ward no. 07, Byadrayanapura of Yelahanka Zone

Measurement Sheet

1st & Part Bill

Agency: Sri A.Sathish Gowda

29	

Supply and fixing of Big Shoulder Wheel. Metal: All tubular steel of 2.Smni l111ckness are galvanized and zinc dipped. Joints are Robotic welded. All welded joint ure scalloped as necessary and welded to an approved MIG process. All welds arc' dressed off removing all sharp edges and burrs. Zinc Primer Paint is applied at all the w elding points prior to finishing. All metal parts are powder coated using AKZO Nobel-Great Wall powder to the thickness of 80- 120 microns. All metal parts are tested in our salt spray machine that uses a 5% NaCl solution in accordance to IS07227 to speed up corrosion for 3000 hrs. Rubber: High quality grip rubber is used for the handles.CV-10 Bearings: Maintenance-free ball bearings. Scope of delivery:1completely pre-assembled equipment modules. Maintenance: Maintain according to EN 16630 and the maintenance guide. Safety: All products must be tested and certified to rneet EN16630 safety standards with GS test mark. The EN 16630 certificates must be issued by a reputed notified international certifying agency such as IPEMA, TUV, CPSC, or SGS only. The GS Mark-EN16630 Certificates must be in the name of tendering party and not any 3rd party.All products must clearly display the GS mark as has been issued in the EN16630 safety certificates. Size_L x W x H): 845 x 810 x 1710 mm. Weight: 54 Kg Safety Area: 3224 x 3376 mm Capacity_2 Persons.

CHAINAGE / Land Mark	NO	L (m)	B1 (m)	B2 (m)	Avg B (m)	Avg D (m)	QTY	REMARKS
Measurement recorded on:		30/07/2018						
Kaval Park								
	1						1.00	
						Total Quantity	**1.00**	**Unit**
						Quantity carried to bill	**1.00**	**Unit**

A Sathish Gowda
Contractor Representative

Mecadez Core Technologies Private Limited
MECADEZ

Consultant Representative

Asst Engineer
Ward No.07
Project Division Yelahanka Zone

30/7/2018
Asst.Executive Engineer
Project Division Yelahanka Zone

BRUHAT BANGALORE MAHANAGARA PALIKE

Project Division Yelahanka ZONE

Work: Providing Children Play Equipments and Senior Citizen Gym Equipments and Landscape Development to Parks in Ward no. 07, Byadrayanapura of Yelahanka Zone

Measurement Sheet

1st & Part Bill

Agency: Sri A.Sathish Gowda

29	

Supply and fixing of Big Shoulder Wheel. Metal: All tubular steel of 2.Smni l111ckness are galvanized and zinc dipped. Joints are Robotic welded. All welded joint ure scalloped as necessary and welded to an approved MIG process. All welds arc' dressed off removing all sharp edges and burrs. Zinc Primer Paint is applied at all the w elding points prior to finishing. All metal parts are powder coated using AKZO Nobel-Great Wall powder to the thickness of 80- 120 microns. All metal parts are tested in our salt spray machine that uses a 5% NaCl solution in accordance to IS07227 to speed up corrosion for 3000 hrs. Rubber: High quality grip rubber is used for the handles.CV-10 Bearings: Maintenance-free ball bearings. Scope of delivery:1completely pre-assembled equipment modules. Maintenance: Maintain according to EN 16630 and the maintenance guide. Safety: All products must be tested and certified to rneet EN16630 safety standards with GS test mark. The EN 16630 certificates must be issued by a reputed notified international certifying agency such as IPEMA, TUV, CPSC, or SGS only. The GS Mark-EN16630 Certificates must be in the name of tendering party and not any 3rd party.All products must clearly display the GS mark as has been issued in the EN16630 safety certificates. Size_L x W x H): 845 x 810 x 1710 mm. Weight: 54 Kg Safety Area: 3224 x 3376 mm Capacity_2 Persons.

CHAINAGE / Land Mark	NO	L (m)	B1 (m)	B2 (m)	Avg B (m)	Avg D (m)	QTY	REMARKS
Measurement recorded on:		30/07/2018						
Yelahanka Park								
		1					1.00	
						Total Quantity	**1.00**	**Unit**
						Quantity carried to bill	**1.00**	**Unit**

A Sathish Gowda
Contractor Representative

Mecadez Core Technologies Private Limited
MECADEZ
Consultant Representative

Asst Engineer
Ward No.07
Project Division Yelahanka Zone

30/7/2018
Asst.Executive Engineer
Project Division Yelahanka Zone

BRUHAT BANGALORE MAHANAGARA PALIKE

Project Division Yelahanka ZONE

Name of Work: Providing Children Play Equipments and Senior Citizen Gym Equipments and Landscape Development to Parks in Ward no. 07, Byadrayanapura of Yelahanka Zone

Measurement Sheet

1st & Part Bill

Name of Agency: Sri A.Sathish Gowda

Item No: 30

Item Name: Supply and fixing of HD Health Walker. Metal: All tubular steel of 2.Smm thickness are galvanized and zinc dipped. Joints are Robotic welded. All welded joint s arescalloped as necessary and welded to an approved MIG process. All welds are dressed off removing all sharp edges and burrs. Zinc Primer Paint is applied at all the welding points prior to finishing. All metal parts are powder coated using AKZO Nobel-Great Wall powder to the thickness of 80-120 microns. All metal parts are tested in our salt spray machine that uses a S% NaCl solution in accordance to IS07227 to speed up corrosion for 3000 hrs. Colour RAL 5019 Blue and RAL 1014 Beige Rubber: High quality grip rubber is used for the handles. Bearings: Maintenance-free ball bea rings.11 Scope of delivery: 1completely pre-assembled equipment modules. Maintenance: Maintain according to EQ_and the maintenance guide.Safety: All productsmust be tested and certified to meet EN16630 safety standards with GS test mark. The EN 16630 certificates must be issued by a reputed notified international certifying agency such as IPEMA, TUV, CPSC, or SGS oniy. The GS Mark- EN16630 Certificates must be in the name of tendering party and not any 3rd party. The certificates must be attached with the tender document . All products must clearly display the GS mark as has been issued in the EN16630 safety certificates .Sizelx W xH): 1065 x 61S x 1364 mm.Weight: 51Kg. Safety Area: 4090 • 3555mm. Capacity 1 Person

SLNO	CHAINAGE / Land Mark	NO	L (m)	B1 (m)	B2 (m)	Avg B (m)	Avg D (m)	QTY	REMARKS
Premeasurement recorded on:			30/07/2018						
	Amruthalli Park							1.00	1
		1						**1.00**	**Unit**
							Total Quantity	**1.00**	**Unit**
							Quantity carried to bill		

Mecadez Core Technologies Private Limited

Contractor Representative

Consultant Representative

Asst Engineer

Ward No-07

Project Division Yelahanka Zone

Asst.Executive Engineer 30/7/2018

Project Division Yelahanka Zone

BRUHAT BANGALORE MAHANAGARA PALIKE

Project Division Yelahanka ZONE

Name of Work: Providing Children Play Equipments and Senior Citizen Gym Equipments and Landscape Development to Parks in Ward no. 07, Byadrayanapura of Yelahanka Zone

Measurement Sheet

1st & Part Bill

Name of Agency: Sri A.Sathish Gowda

Item No: 31

Item Name: Supply and fixing of HD Squat Pushing. Metal:All tub.ular steel of 2.Smm1hicknos are galvanized and zinc dipped. Joints are Robotic welded. All welded joints are sca lloped as necessary: and welded to an approved MIG process. All welds are dressed off removing all sharp edges and burrs. Zinc Primer Paint is applied at all the welding points prior to finishing . All metal parts are powder coated using AKZO Nobel-Great Wall powder to the thickness of 80-120 microns. All metal parts are tested in our sa lt spray machine that uses a 5% NaCl solution in accordance to IS07227 to speed up corrosion for 3000 hrs. Rubber: High quality grip rubber is used for the handles 13 Bearings: Maintenance-free ball bearings.Scope of delivery: 1completely pre-assembled equipment modules.Maintenance: Maintain according to EN 16630 andthe maintenance guide. Safety: All products must be tested and certified to meet EN16630 safety standards with GS test mark. The EN 16630 certificates must be issued by a reputed notified international certifying agency such as IPEMA, TUV, CPSC, or SGS only .The GS Mark- EN16630 Certificates must be in the name of tendering party and not any 3rd party.All products must clearly display the GS ma rk as has been issued in the EN16630 safety certificates.Sizelx W x H): 2270 x 635 x 1640 mm. Weight: 60.2Kg.Safety Area: 5300 * 3685mm. Capacity 2 Persons

SLNO	CHAINAGE / Land Mark	NO	L (m)	B1 (m)	B2 (m)	Avg B (m)	Avg D (m)	QTY	REMARKS
Premeasurement recorded on:			30/07/2018						
Amruthalli Park									
		1						1.00	
							Total Quantity	**1.00**	**Unit**
							Quantity carried to bill	**1.00**	**Unit**

Contractor Representative

Consultant Representative

Asst Engineer

Project Division Yelahanka Zone

Asst.Executive Engineer 30/7/2018

Project Division Yelahanka Zone

BRUHAT BANGALORE MAHANAGARA PALIKE

Project Division Yelahanka ZONE

Name of Work: Providing Children Play Equipments and Senior Citizen Gym Equipments and Landscape Development to Parks in Ward no. 07, Byadrayanapura of Yelahanka Zone

Measurement Sheet

1st & Part Bill

Name of Agency: Sri A.Sathish Gowda

Item No: 32

Item Name: Supply and fixing of HD Waist Twister. Metal : All tubular steel of 2.Smm thic k11ess are ga:vanized and zinc dipped. Joints are Robotic welded. All welded joints are scJlloped as necessary and welded to an approved MIG process. All welds are dressed off removing all sharp edges and burrs. Zinc Primer Paint is applied at all the welding points prior to finishing. All metal parts are powder coated using AKZO Nobel-Great Wall powder to the thickness of 80-120 microns.Al l metal parts are tested in our salt spray machine that uses a 5% NaCl solution in accordance to IS07227 to speed up rrosion for 3000 hrs. Rubber: High quality grip rubber is used for the handles. arings : Maintenance-free ball bearings.Scope of delivery: 1completely pre-assembled equipment modules. Maintenance : Maintain according to EN 16630 and the maintenance guide. Safety: All products must be tested and certified to meet EN16630 safety standards with GS test mark. The EN 16630 certificates must be issued by a reputed notified international certifying agency such as IPEMA,TUV, CPSC, or SGS only. The GS Mark- EN16630 Certificates must be in the name of tendering party and not any 3rd party. All products must clearly display the GS mark as has been issued in the EN16630 safety certificates. Size_L x W x H}:1460 x 1310 x USO mm. Weight: 39.l Kg Safety Area : 4360 x 4510 mm Capacity_3 Persons.

SLNO	CHAINAGE / Land Mark	NO	L (m)	B1 (m)	B2 (m)	Avg B (m)	Avg D (m)	QTY	REMARKS
Premeasurement recorded on:			30/07/2018						
Amruthalli Park								1.00	
		1						**1.00**	**Unit**
						Total Quantity		**1.00**	**Unit**
						Quantity carried to bill			

Contractor Representative

Consultant Representative

Asst Engineer
Ward No 07

Project Division Yelahanka Zone

20/7/2018

Asst.Executive Engineer

Project Division Yelahanka Zone

BRUHAT BANGALORE MAHANAGARA PALIKE

Project Division Yelahanka ZONE

Name of Work: Providing Children Play Equipments and Senior Citizen Gym Equipments and Landscape Development to Parks in Ward no. 07, Byadrayanapura of Yelahanka Zone

Measurement Sheet

1st & Part Bill

Name of Agency: Sri A.Sathish Gowda

Item No:	33	
Item Name:	Supply and Fixing of HD.Mini Ski. Metal:All tubular steel of 2 .Smm thickness are galvanized and zinc dipped. Joints are Robotic welded. All welded joints are scalloped as necessary and welded to an approved MIG process. All welds are dressed offremoving all sha rp edges and burrs. Zinc Primer Paint is applied at all the welding points prior to finishing.All metal parts are powder coated using AKZO Nobel-Great Wall powder to the thickness of 80-120 microns. All metal parts are tested in our salt spray machine that uses a 5% NaCl solution in accordance to 1507227 to speed up corrosion for 3000 hrs. Rubber: High quality grip rubber is used for the handles. Bearings: Maintenance-free ball bearings. Scope of delivery: 1completely pre-assembled equipment modules. Maintenan(;:e :Maintain according to EN 16630 and the maintenance guide. Safety: All products must be tested and certified to meetEN16630 safety standards with GS test mark.The EN 16630 certificates must be issued by a reputed notified international certifying agency such as IPEMA, TUV,CPSC, or SGS only.The GS Mark- EN16630 Certificates must be in the name of tendering party and not any 3rd party.All products must clearly display the GS mark as has been issued in the EN16630 safety certificates.Size_L x W x H): 1214 x 900 x1347 mm. Weight: 45 Kg Safety Area : 4214 x 3900 mm Capacity_2 Persons.	

SLNO	CHAINAGE / Land Mark	NO	L (m)	B1 (m)	B2 (m)	Avg B (m)	Avg D (m)	QTY	REMARKS
Premeasurement recorded on:			30/07/2018						
Amruthalli Park								1.00	
		1						**1.00**	**Unit**
							Total Quantity	**1.00**	**Unit**
							Quantity carried to bill		

Contractor Representative

Consultant Representative

Asst Engineer
~~Ward No 07~~

Project Division Yelahanka Zone

Asst.Executive Engineer 30/7/2018

Project Division Yelahanka Zone

BRUHAT BANGALORE MAHANAGARA PALIKE

Project Division Yelahanka ZONE

Name of Work: Providing Children Play Equipments and Senior Citizen Gym Equipments and Landscape Development to Parks in Ward no. 07, Byadrayanapura of Yelahanka Zone

Measurement Sheet

1st & Part Bill

Name of Agency: Sri A.Sathish Gowda

Item No: 34

Item Name: Supply and fixing of HD Double Health Walker. Metal: All tubular steel of 2.50mm thickness are galvanized and zinc dipped. Joints are Robotic welded . All welded joints are scalloped as necessary and welded to an approved MIG process. All welds a re dressed off removing all sharp edges and burrs. Zinc Primer Paint is applied ut all the welding points prior to finishing. All metal parts are powder coated using AK ZO Nobel Great Wall powder to the thickness of 80-120 microns. All metal parts are test ed in our salt spray machine that uses a 5% NaCl solution in accordance to 1507227 to peed up corrosion for 3000 hrs. Rubber: High quality grip rubber is used for the tlandles. Bearings: Maintenance-free ball bearings.Scope of delivery : 1completely pre-assembled equipment modules. Maintenance: Maintain according to EN 16630 and the maintenance guide. Safety: All products must be tested and certified to meet EN16630 safety standards with GS test mark. The EN 16630 certificates must besuch as IPEMA, TUV,issued by a reputed notified international certifying agency CPSC, or SGS only. The GS Mark- EN16630 Certificates must be in the name of tendering party and not any 3rd party.All products must clearly display the GS mark as has been issued in the EN16630 safety certificates.Sizel x W x H): 2015 x 615 x 1360mm .Weight: 93Kg. Safety Area: 5015 • 3015mm. Capacity2 Person

SLNO	CHAINAGE / Land Mark	NO	L (m)	B1 (m)	B2 (m)	Avg B (m)	Avg D (m)	QTY	REMARKS
Premeasurement recorded on:			30/07/2018						
Amruthalli Park									
		1						1.00	
							Total Quantity	**1.00**	**Unit**
							Quantity carried to bill	**1.00**	**Unit**

A. Satish Gowda
Contractor Representative

Mecadez Core Technologies Private Limited
MECADEZ
Consultant Representative

Asst Engineer
Ward No.07
Project Division Yelahanka Zone

Asst.Executive Engineer 30/9/2018
Project Division Yelahanka Zone